


































































eTRV: Online Adaptor Guide

TYPE/MODEL	IMAGE	SKETCH	BASE RINGS/SPACERS	ADAPTOR	NOTES	SECURITY COLLAR?
Comap Western 5 TRV			 <p>Three base-ring pegs (3) 3.5mm-thick spacer 28mm base ring</p>		An extension peg will be needed with this valve, for your eTRV to work. These can be purchased online.	
Comap Senso TRV			 <p>Three base-ring pegs (3) 3.5mm-thick spacer 28mm base ring</p>		An extension peg will be needed with this valve, for your eTRV to work. These can be purchased online.	
Comap S2 TRV			 <p>Three base-ring pegs (3) 3.5mm-thick spacer 28mm base ring</p>		An extension peg will be needed with this valve, for your eTRV to work. These can be purchased online.	
Danfoss RA			 <p>Three base-ring pegs (3) 30mm base ring RA Adaptor</p>		Both removable and non-removable adaptors are available for purchase online.	
Danfoss RA with screw			 <p>Three base-ring pegs (3) 30mm base ring RA Adaptor with Screw</p>		Both removable and non-removable adaptors are available for purchase online.	Not Suitable
Danfoss RAV			 <p>Three base-ring pegs (3) 30mm base ring Pin Extension Spacer RAV Adaptor</p>			Not Suitable
Danfoss RAL			 <p>Three base-ring pegs (3) 30mm base ring Danfoss RAL Adaptor</p>			Not Suitable
Drayton TRV2			 <p>Three base-ring pegs (3) 30mm base ring TRV2 Adaptor</p>		This TRV has an imperial thread.	Not Suitable

<p>Drayton TRV4</p>	 <div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>
<p>Giacomini</p>	<p style="text-align: center;">Adaptors Available Online</p>
<p>Grasslin Tower TRV REV</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>
<p>Hattersly 3100 1/2</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  3mm-thick spacer  30mm base ring  1x pin extender </div> <p style="text-align: right;">Suitable</p>
<p>Herz 1/2 TS 90</p>	<div style="display: flex; align-items: center; gap: 20px;">  <div style="text-align: center;"> <p>Herz</p>  </div> <div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div> </div>
<p>Honeywell VT117E</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>
<p>Honeywell VT200E</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>
<p>Honeywell VT15</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>
<p>Myson Petite</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>
<p>Myson TRV 2 Way</p>	<div style="display: flex; justify-content: center; align-items: center; gap: 10px;">  Three base-ring pegs (3)  2mm-thick spacer  30mm base ring </div>

Oventrop	 <p>Oventrop</p> <p>58 mm</p> <p>30 mm</p>	 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	
Pegler Belmont 4		 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	
Pegler Bulldog		 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	
Pegler Mistral		 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	
Pegler Terrier		 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	
PTS Boss Sumpreme		 <p>Three base-ring pegs (3)</p> <p>3.5mm-thick spacer</p> <p>28mm base ring</p>	
Siemens Trade TRV		 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	<p>Adaptors Available Online This TRV has an imperial thread.</p>
Siemens TRV MTN51GB TRV		 <p>Three base-ring pegs (3)</p> <p>2mm-thick spacer</p> <p>30mm base ring</p>	
T+A	 <p>T+A</p> <p>27.5 mm</p> <p>51 mm</p>	 <p>Three base-ring pegs (3)</p> <p>3.5mm-thick spacer</p> <p>28mm base ring</p>	